Impact of the Xenopus system on the mission of the NLM

Peter Vize, PhD – University of Calgary

NLM resources such as the National Center for Biotechnology Information (NCBI) play a central role in the daily life of most biomedical scientists. Key resources at the NCBI include PubMed, Entrez Gene, UniGene, OMIM and the various sequence and molecular biology databases. *Xenopus* data plays an important role in the functionality of many of these central resources due to its place in the phylogenetic tree, bridging aquatic models such as the zebrafish and pufferfish and terrestrial vertebrates such as mouse and man. As the suite of experimental techniques available in *Xenopus* is unique it also serves as a methodological bridge between animal model systems and human biology. *Xenopus* is the only amphibian with both large scale genomic resources and a rich heritage of experimental data on the role of genes during embryonic development and the only amphibian used extensively for high throughput microinjection screens.

Xenopus data and the Xenopus community helps achieve the goals of the NLM by providing annotated data on Xenopus development, anatomy and gene structure and function to the NCBI. This is achieved through the Xenopus model organism database, Xenbase (NIH R01 HD045776) generating output files used by NCBI services such as Entrez Gene. There are currently over 10,000 Entrez gene records generated from Xenbase data imports. The community provides raw data through sequence submissions and scientific publications. Bioinformatics is essential to associating model organisms data to human biology and disease and this is one of the major goals of the NLM/NCBI. Gene function can be tested in via unique microinjection approaches such as pooled mRNA screens in Xenopus and serve as a bridge between genetic data from more simple models and less complete functional information in more complex mammalian systems. These approaches have led to the discovery of many novel genes that play essential roles in human health.

Selected References:

Gilchrist MJ, Christensen MB, Bronchain O, Brunet F, Chesneau A, Fenger U, Geach TJ, Ironfield HV, Kaya F, Kricha S, Lea R, Massé K, Néant I, Paillard E, Parain K, Perron M, Sinzelle L, Souopgui J, Thuret R, Ymlahi-Ouazzani Q, Pollet N. (2009) Database of queryable gene expression patterns for *Xenopus*. *Dev Dyn.* 2009 Jun;238(6):1379-88.

Segerdell, E., Bowes, J.B., Pollet, N. and Vize, P.D. (2008) The *Xenopus* Anatomical Ontology: a comprehensive map of development in a model vertebrate. *BMC Developmental Biology* 2008, 8: 92-98.

Bowes, J.B., Snyder, K.. Segerdell, E., Gibb, R., Jarabek, C., Noumen, E., Pollet, N. and Vize, P.D. (2008). Xenbase: a *Xenopus* biology and genomics resource. *Nucl. Acids. Res.* 36: D761-D767.

Gilchrist MJ, Christensen MB, Harland R, Pollet N, Smith JC, Ueno N, Papalopulu N. (2008) Evading the annotation bottleneck: using sequence similarity to search non-sequence gene data. *BMC Bioinformatics* 9:442.

Voigt J, Chen JA, Gilchrist M, Amaya E, Papalopulu N. (2005) Expression cloning screening of a unique and full-length set of cDNA clones is an efficient method for identifying genes involved in *Xenopus* neurogenesis. *Mech Dev.* 122(3):289-306.

Smith WC, Harland RM. (1992). Expression cloning of noggin, a new dorsalizing factor localized to the Spemann organizer in *Xenopus* embryos. *Cell* 70(5):829-40.

2011 Xenopus White Paper - Community Needs:

Executive Summary

Xenopus: An essential vertebrate model system for biomedical research:

Model animals are crucial to advancing biomedical research. Basic studies in vertebrate animals rapidly accelerate our understanding of human health and disease. Among the commonly used model animals, the frog, *Xenopus*, has great impact because of its close evolutionary relationship with mammals. Moreover, the remarkable experimental repertoire of the *Xenopus* system has made it a cornerstone of neurobiology, physiology, molecular biology, cell biology, and developmental biology.

Current NIH investment in research using Xenopus:

Consistent with its broad utility, the NIH has made a large and continuing investment in *Xenopus* research. Indeed, a search of the NIH rePORT database for R01 or equivalent grants using the search term "*Xenopus*" returned **678 grants for a total of over \$217,000,000** for FY09-10. The NIH has also recently demonstrated its commitment to *Xenopus* community resources by approving \$2.5 million to establish the National *Xenopus* Resource in Woods Hole, MA and a similar amount to maintain and expand Xenbase, the *Xenopus* Community's online database.

Xenopus as a model system for human disease gene function

Given the tremendous power of the *Xenopus* system, the pace of new biological discovery by the *Xenopus* Community is vigorous. Using *Xenopus*, we have significantly improved our understanding of human disease genes and their mechanisms of action, justifying the NIH's investment. For example:

Xenopus embryos are used for in vivo analysis of gene expression and function:

Congenital Heart Disease - PNAS 2011. 108, 2915-2920

CHARGE Syndrome - Nature 2010. 463, 958-962.

Bardet-Biedl and Meckel-Gruber Syndromes – Science 2010. 329, 1337-1340.

Hereditary hypotrichosis simplex – Nature 2010. 464, 1043-1047.

Hutchison-Gilford Progeria - Dev. Cell 2010. 19, 413-25.

Cutis laxa - Nat Genet. 2009. 41, 1016-21.

Colorectal cancer - Genome Res. 2009. 19, 987-93.

Nephronophthisis - Hum Mol Genet. 2008. 17, 3655-62; Nat Genet. 2005. 37, 537-43.

Xenopus egg extracts are used for *in vitro* biochemical studies:

Fanconi Anemia - Mol. Cell. 2009. 35, 704-15; Science. 2009, 326, 1698-701.

C-myc oncogene - Nature. 2007. 448, 445-51.

BRCA1 - Cell. 2006. 127, 539-552

Xenopus oocytes are used to study gene expression and channel activity:

Rapid-onset dystonia-parkinsonsim – Nature 2010. 467, 99-102.

Trypanosome transmission – Nature 2009. 459, 213-217.

Epilepsy, ataxia, sensorineural deafness – N Engl J Med. 2009. 360, 1960-70.

Catastrophic cardiac arrhythmia (Long-QT syndrome) – PNAS 2009. 106,13082-7.

Megalencephalic leukoencephalopathy - Hum Mol Genet. 2008. 17, 3728-39.

Xenopus as a model system for understanding basic biological processes:

Xenopus also plays a crucial role in elucidating the basic cellular and biochemical mechanisms underlying the entire spectrum of human pathologies. Just a small fraction of the many recent discoveries are highlighted here:

Xenopus contributes to our understanding of vertebrate genome organization. (Science. 2010. 328, 633-636).

Xenopus egg extracts reveal fundamental aspects of cell division.

(Cell. 2010. 140, 349-359; Nature. 2008. 453, 1132-6; Science. 2008. 319, 469-72).

Xenopus reveals new aspects of eukaryotic nuclear structure and function.

(Cell. 2010. 143, 288-98; Science. 2010. 318, 640-643).

Xenopus embryos are used for studies of Wnt and TGF-β signal transduction. (Science. 2010. 327, 459-463; Cell. 2009. 136,123-35).

Xenopus embryos are used for studying mucociliary epithelia.

(Nat Cell. Biol. 2009 11 1225-32; Nature. 2007. 447, 97-101).

Xenopus embryos are used for studying development of the vasculature. (Cell. 2008.135, 1053-64).

Xenopus egg extracts provide key insights into DNA damage responses.

(Mol Cell. 2009. 35,704-15; Cell. 2008.134, 969-80).

Xenopus embryos link telomerase to Wnt signaling.

(Nature. 2009. 460, 66-72).

Xenopus are used for small molecule screens to develop therapeutics.

(Nat Chem Biol. 2010. 6, 829-836; Blood. 2009. 114, 1110-22; Nat Chem Biol. 2008. 4, 119-25).

<u>Despite its demonstrated utility and despite the recent investments by the NIH, Xenopus still lacks many resources that are considered entirely essential for other model systems</u>. It is the consensus of the *Xenopus* community that their biomedical research could be greatly accelerated by the development of key resources of use to the entire *Xenopus* research community.

At the 2010 International *Xenopus* Conference, developmental, cell, and molecular biologists gathered to discuss the resources needed and the priority that should be assigned to each. There was broad community-wide consensus that eleven resources are currently needed, and these were prioritized into two categories: Immediate Needs and Essential Resources:

The Immediate Needs of the *Xenopus* research community:

1. Generation of the *Xenopus* ORFeome:

- -Will enable genome-wide in vivo analyses of gene function.
- -Will enable genome-wide in vivo analyses of protein localization.
- -Will enable, when combined with transgenesis, the first large-scale biochemical determination of protein-protein interactions <u>in specific tissues and at specific embryonic stages</u>.
- -Will facilitate more-rapid functional characterization of specific proteins.

2. Improvement of the *Xenopus* genome sequence:

- -Will accelerate molecular studies by providing a complete catalogue of Xenopus genes.
- -Will enable completion of the Xenopus ORFeomes.
- -Will enable genomic analyses & systems biology approaches for novel gene discovery.
- -Will facilitate proteomics approaches and peptide analysis.

Essential Resources for *Xenopus* research community:

In addition to these most-pressing needs, the community has identified nine other Essential Resources that should be developed as soon as possible, so that *Xenopus* biologists can more effectively fulfill the missions of the NIH. The *Xenopus* community considers all of these additional resources to be essential, but understands that priorities must be set, and therefore ranks these as indicated below:

- 3. Improvement of long-range contiguity in the Xenopus laevis genome
- 4. Improvement of Xenopus antibody resources
- 5. Loss of function: Zinc Finger Nucleases/TILLING
- 6. Loss of function: Small inhibitory hairpin RNAs
- 7. Novel loss of function/knockdown/knockout technologies
- 8. Intergenic annotation of the Xenopus genome
- 9. Improvements of the X. tropicalis genome long range contiguity
- 10. Additions and improvements to Xenbase: the *Xenopus* Model Organism Database
- 11. <u>Frogbook: A comprehensive resource for methods in *Xenopus* biology</u> Community Recommendations for Attaining Resources:

The Xenopus Community feels that in order to attain these much needed resources it will be imperative to renew the PAR-09-240/1: "Genetic and Genomic Analyses of Xenopus". This mechanism can help to direct funding to the establishment of resources that will accelerate research by the entire community. Development of research resources is essential to the NIH mission, but because such work is not hypothesis-driven, these proposals fare poorly in standard CSR study sections. Moreover, the standard study sections typically lack the depth of expertise that is needed to properly evaluate these proposals. The "Genetics and Genomic Analyses of Xenopus" PAR allows for a focused and expert review of resource development proposals, and its renewal will help to ensure a continuing return on the current NIH investment in biomedical research using Xenopus.

The Xenopus Community also feels that, given the ease with which massive amounts of biological samples can be obtained using this organism, a new PAR to support systems biology using Xenopus is warranted. A new PAR in this area would allow all biomedical researchers to exploit the emerging genomic resources for Xenopus to perform systems-level analyses in vivo, in a vertebrate, and in a cost-effective manner. Such research would generate significant advances into the "New Biology" described below.

Anticipated Gains for Biomedical Research:

Xenopus as an animal model continues to have a broad impact for biomedical research. Given its already long history of large-scale screens of gene function and its broad use in molecular, cell, and developmental biology, the establishment of additional community-wide resources will greatly facilitate the impact of *Xenopus* as a premier vertebrate model for systems-level analyses.

The National Research Council and the National Academy of Sciences have recently called on the United States "to launch a new multiagency, multiyear, and multidisciplinary initiative to capitalize on the extraordinary advances recently made in biology". This report (http://www.nap.edu/catalog.php?record_id=12764) recommends the term "New Biology" to describe an approach to research where "physicists, chemists, computer scientists, engineers, mathematicians, and other scientists are integrated into the field of biology." The promise of systems-level analysis in *Xenopus*, combined with its already proven strengths, make *Xenopus* the ideal model organism for pursuing "New Biology."

Specifically, genome improvements will provide *Xenopus* researchers with the ability to perform genome-wide screens for biological activities that will in turn allow the rapid assembly and analysis of gene regulatory networks and their relationship to phenotypes. The ORFeome

will greatly facilitate such genome-wide screening by allowing all ORFs to be rapidly analyzed or large numbers of proteins to be tagged for analysis of protein-protein interaction or for *in vivo* visualization. Using extracts and biochemical purification coupled with mass-spectrometry and genomic sequence, protein interactomes can be rapidly identified and validated. *Xenopus* offers a unique resource because it is the only *in vivo* vertebrate animal model that couples vast amounts of biological material and a sequenced genome, thus cell-type specific interactomes can also be identified. Large-scale genetic screens will identify important novel genes in developmental pathways, especially given the relatively simple genome of *X. tropicalis* compared to zebrafish. Finally, the flexibility of both *Xenopus* extracts and embryos make this system ideal for chemical biology screens.

Identifying gene-regulatory networks, interactomes, and novel genes will be only the first steps. The well-established power of *Xenopus* for rapid analysis of gene function will then allow deeply mechanistic analyses to complement the systems-level approaches described above. It is the combination of these characteristics that distinguishes *Xenopus* from other vertebrate model systems such as mouse and zebrafish and allows for a systems-level approach to understanding biological mechanisms. The tremendous impact of the *Xenopus* model cannot be realized, however, without the immediate development of community-wide research resources. This White Paper presents the needed resources, and we look to the NIH for guidance in how to best achieve these goals.

For complete details of the 2011 *Xenopus* White Paper, please visit

http://www.xenbase.org/community/xenopuswhitepaper.do